



Bridlington Town Council

Risk Assessment 2024-2025

CONTENTS

Bridlington Town Council

Risk Assessment



Risks for Bridlington Town Council – LCRS 5

Overall Summary – LCRS 6

Action Plan – LCRS 7

On-going Review – LCRS 8

Insurance Holding Checklist – LCRS 9

Health and Safety Checklist – LCRS 10



LCRS Win7 (Local Council Risk System) Main Menu

[How do I access my risk?](#)

Risk Assessment for:

Bridlington Town Council

Risk assessor:

Telephone:

Assessment year: End year:

- | | | |
|--------|---|---|
| Step 1 | <input type="button" value="Council and Set-up details"/> | Amend your Council details and current assessment year. |
| Step 2 | <input type="button" value="Select Area/Functions"/> | Select your reasonability Areas for assessment. |
| Step 3 | <input type="button" value="Score your risks"/> | Access and score the relevant risks for each area. |
| Step 4 | <input type="button" value="Complete your Action Plans"/> | Review and create actions plans for high scoring risks. |

The four main steps required to do your risk assessment.

**The content of this software is intended for guidance only.
It is the responsibility of the owner to ensure that all relevant statutory provisions
are complied with.**

Today's date: 15 October 2024

© Copyright DMH Solutions Year 2010. All rights reserved.



Step 5 - Risk Report - Select an Area to view or Full Report for all Areas

	Area/Function	No of Risks	Scored	Close	Full Report	How do I complete?
Select	Bus Shelters	4	4			
Select	Code of Conduct	1	1			
Select	Computing	3	3			
Select	Council Property and Documents	4	4			
Select	Data Protection	1	1			
Select	Employment Of Staff	7	7			
Select	Financial Management	11	11			
Select	Gifts	1	1			
Select	Local functions	1	1			
Select	Meetings of the Council	5	5			
Select	Newsletters	7	7			
Select	Planning & Development Control	1	1			
Select	Provision of Office Accommodation	5	5			
Select	Public Conveniences	9	9			
Select	Skatepark	5	5			
Select	Street/Footway Lighting	6	6			
Select	Web Sites	17	17			